



Shandong XSY Bearing Co., Ltd.



0.591 Inch | 15 Millimeter x 1.26 Inch | 32
 Millimeter x 0.354 Inch | 9 Millimeter NTN 6002P5
 Precision Ball Bearings

Bearing No. 6002P5

6002P5 Bearing 2D drawings and 3D CAD models

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.031
EAN	4547359318586
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 5 ISO P5
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	0 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Steel
Rolling Element	Ball Bearing
Flush Ground	No
Inch - Metric	Metric
Other Features	Single Row Deep Groove
Long Description	15MM Bore; 32MM Outside Diameter; 9MM Width; Open Enclosure; ABEC 5 ISO P5 Precision; Steel Ball Material; 1 (Single) Bearings; 0 Degree Contact Angle; Steel Cage Material; Ball Bearing



Shandong XSY Bearing Co., Ltd.

Category	Precision Ball Bearings
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Deep Groove Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6002P5
Weight / LBS	0.067
D	1.26 Inch 32 Millimeter
d	0.591 Inch 15 Millimeter
B	0.354 Inch 9 Millimeter
bore diameter:	15 mm
finish/coating:	Uncoated
outside diameter:	32 mm
bearing material:	High Carbon Chrome Steel
overall width:	9 mm
cage material:	Steel
bore type:	Round
inner ring width:	9 mm
closure type:	Open
outer ring width:	9 mm
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	22000 rpm
snap ring included:	Without Snap Ring
maximum rpm (oil):	26000 rpm
internal clearance:	CN
fillet radius:	0.3 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	26000 RPM
dynamic load capacity:	5600 N
series:	60



Shandong XSY Bearing Co., Ltd.

static load capacity:	2830 N
manufacturer product page:	Click here
precision rating:	ISO Class 5